



THE
BIGGER5™
"AUGMENTED"

EST. 2022 BY REPUBLIC® FLOOR



WELCOME TO
"AN URBAN JUNGLE ADVENTURE"



*"...while everyone calls it just SPC/WPC planks or LVT Dryback we are proud to call it -
"Enhanced Texture Slabs" and "Premium Feelwood Stipes" and you will find out why...!"*

*"Nature's highway is a constant battle of aggressive maneuvers and daring overtakes, where
survival is the ultimate trophy and dominance is the currency of the wild."*

EST. 2022 BY REPUBLIC® FLOOR

THE BIGGER5™

WOLF
ADVENTURE



"In the heart of the wilderness, the wolfpack roams, raw and strong, their howls provocative, echoing the untamed spirit of the wild."

EUROPE COLLECTION
BY
REPUBLIC®




EUROPE COLLECTION

WOLF ADVENTURE




THE BIGGER5™

EUROPE COLLECTION
BY
REPUBLIC



- 0.30mm Wearlayer + PU-Protection Shield
- Decorfilm
- SPC Composite Layer
- Acoustic backing



Total Thickness
4.50mm




Wear Layer
0.30mm



Coreboard
3.50mm



Underlay
1.0mm IXPE



Surface
Micro Bevel + UV Coating



Planks Size (W x L)
1218mm x 181mm

Enhanced Texture Slabs



REEUCW001 - WINNI



REEUCW002 - BANG



REEUCW003 - CRINGE



REEUCW004 - STRANGE



REEUCW005 - ON FLEEK




REEUCW006 - CHILL OUT

THE BIGGER5™

GRIZZLY
ADVENTURE



„In the rugged embrace of the wild, the grizzly prowls, a force of nature, its growl a thunderous defiance, daring all who cross its path.“



EUROPE COLLECTION




NORTH AMERICA COLLECTION

GRIZZLY ADVENTURE



THE BIGGER5™

EUROPE COLLECTION
BY
REPUBLIC



- 0.50mm Wearlayer + PU-Protection Shield
- Decorfilm
- SPC Composite Layer
- Accoustic backing

PURESPC MAX

- 0.50mm Wearlayer + PU-Protection Shield
- Decorfilm
- LVT-Dryback Composite Layer

DRYBACK

<p>Total Thickness 5.50mm</p>	<p>Wear Layer 0.50mm</p>
<p>Coreboard 4.0mm</p>	<p>Underlay 1.50mm Bio-Guard</p>
<p>Surface EIR + Bevelled Edge + UV Coating</p>	<p>Planks Size (W x L) 1218mm x 228mm</p>

DryBack

Enhanced Texture Slabs / Premium Feelwood Stripes

PureSPC Max

<p>RENACG001 - BASH</p>	<p>RENACG002 - BANKSTER</p>
<p>RENACG003 - SWAG</p>	<p>RENACG004 - EPIC</p>
<p>RENACG005 - BABO</p>	<p>RENACG006 - BLUSH</p>
<p>RENACG007 - LOST</p>	<p>RENACG008 - FAME</p>
<p>RENACG009 - SMOMBIE</p>	<p>RENACG010 - FLY</p>
<p>RENACG011 - BUG</p>	<p>RENACG012 - WYLD</p>
<p>RENACG013 - SHEESH</p>	<p>RENACG014 - FAIL</p>
<p>RENACG015 - BUZZ</p>	


* Also available as LVT-Dryback

THE BIGGER5™

TIGER
ADVENTURE



„In the heart of untamed, a colossal tiger roars, its ferocity provocative, a primal symphony echoing through the wilderness, commanding respect from all who dare to listen.“



EUROPE COLLECTION

BY




NORTH AMERICA COLLECTION

TIGER ADVENTURE




THE BIGGER5™

EUROPE COLLECTION
BY
REPUBLIC



- 0.55mm Wearlayer + PU-Protection Shield
- Decorfilm
- SPC Composite Layer
- Acoustic backing



Total Thickness
6.0mm



Wear Layer
0.55mm



Coreboard
4.50mm



Underlay
1.50mm Bio-Guard



Surface
EIR + Bevelled Edge
+ UV Coating



Planks Size (W x L)
1800mm x 228mm
(Wide Plank)

Enhanced Texture Slabs / Longplank


PureSPC Max



REASCT001 - BOUNCE



REASCT002 - EGO



REASCT003 - LEGA



REASCT004 - BOOM



REASCT005 - FREEE




REASCT006 - WAMP




REASCT007 - SQUEEEZE



REASCT008 - QUEST



REASCT009 - GRAND




REASCT010 - BROKE

THE BIGGER5™

LION
ADVENTURE



„In the savage kingdom of beasts, the Lion reigns supreme, its raw power a testament to its majestic authority, commanding reverence from all who dare to challenge its throne.“



EUROPE COLLECTION




AFRICA COLLECTION

LION ADVENTURE




THE BIGGER5™

EUROPE COLLECTION
BY
REPUBLIC



- 0.55mm Wearlayer + PU-Protection Shield
- Decorfilm
- SPC Composite Layer
- Acoustic backing



Total Thickness
7.0mm



Wear Layer
0.55mm



Coreboard
5.50mm



Underlay
1.50mm Bio-Guard



Surface
Herringbone EIR
+ Bevelled Edge
+ UV Coating



Planks Size (W x L)
592mm x 148mm

Enhanced Texture Slabs / Herringbone



REAFCL001 - NO CAP



REAFCL002 - SIMP



REAFCL003 - SNITCH




REAFCL004 - BRO

THE BIGGER5™

CROCODILE
ADVENTURE



„In the shadows of the swamp, the crocodile waits, its massive jaws ready to snap, a primal force of nature, raw and unrelenting, instilling terror with each mighty lunge.“



EUROPE COLLECTION

BY
REPUBLIC®

AUSTRALIA COLLECTION

CROCODILE ADVENTURE



THE BIGGER5™


DryBack

PureSPC

* Also available as LVT-Dryback

EUROPE COLLECTION
BY
REPUBLIC

Enhanced Texture Slabs / Premium Feelwood Stripes



PURESPC

DRYBACK


- 0.55mm Wearlayer + PU-Protection Shield
- Decorfilm
- LVT Layer
- SPC Composite Layer
- LVT Layer
- Acoustic backing

- 0.55mm Wearlayer + PU-Protection Shield
- Decorfilm
- LVT-Dryback Composite Layer

	Total Thickness 7.50mm		Wear Layer 0.55mm
	Coreboard 6.0mm		Underlay 1.5mm Bio-Guard
	Surface EIR + Bevelled Edge		Planks Size (W x L) 1218mm x 228mm




REAUCC001 - THUG



REAUCC002 - CRAZEEE



REAUCC003 - BOSS



REAUCC004 - LESS



REAUCC005 - THRIFT



REAUCC006 - BUMP

THE BIGGER5™

ALLIGATOR
ADVENTURE



"Silent waters hide fierce jaws. The Alligator embodies raw, primal power, waiting to strike with unrelenting force. Dare to tread carefully, or become part of the legend."



EUROPE COLLECTION
BY
REPUBLIC®


AUSTRALIA COLLECTION

ALLIGATOR ADVENTURE




THE BIGGER5™

EUROPE COLLECTION
BY
REPUBLIC



- 0.70mm Wearlayer + PU-Protection Shield
- 1.5mm LVT Layer incl. Decorfilm
- WPC Composite Layer
- Cork backing



Total Thickness
8.0mm



Wear Layer
0.70mm




Coreboard
7.0mm



Underlay
1.0mm Cork



Surface
Black Emerald + EIR
+ Deep Bevelled Edge



Planks Size (W x L)
1524mm x 228mm

Enhanced Texture Slabs



COREAL001 - RIZZ



COREAL002 - SIDE EYE



COREAL003 - NO FRONT



COREAL004 - DELULU



COREAL005 - GULP



COREAL006 - GOOFY

THE BIGGER5™

POLAR BEAR
ADVENTURE



„In the icy expanse of the Arctic, the Polar bear prowls, a relentless predator forged by frigid winds and barren landscapes. With claws like daggers and hunger as vast as the frozen tundra, it stalks its prey with ruthless determination, a solitary hunter in the unforgiving wilderness.“

UNVEILING SHORTLY!

EUROPE COLLECTION



ANTARTICA COLLECTION

THE BIGGER5™

BLACK PANTHER
ADVENTURE



„In the depths of the night, a sleek shadow born of darkness. With eyes ablaze like amber fire and muscles coiled with lethal precision, it is the epitome of primal grace and silent menace, a hunter unmached in the savage dance of life and death.“

UNVEILING SHORTLY!

EUROPE COLLECTION



SOUTH AMERICA COLLECTION

Characteristics	Standards	Wolf	Grizzly	Tiger	Lion	Crocodile
Total Thickness	EN ISO 24346	4.5mm	5.5mm	6mm	7mm	7.5mm
Acoustic Solution	EN ISO 24346	1mm IXPE	1.5mm (With antibacterial Bio-Guard)	1.5mm (With antibacterial Bio-Guard)	1.5mm (With antibacterial Bio-Guard)	1.5mm (With antibacterial Bio-Guard)
Wear Layer	EN ISO 24340	0.3mm	0.5mm	0.55mm	0.55mm	0.55mm
Finish		UV COATING	UV COATING	UV COATING	UV COATING	UV COATING
Surface		Micro-bevel	EIR+Bevelled Edge	EIR+Bevelled Edge	Herringbone EIR+Bevelled Edge	EIR+Bevelled Edge
Installation Method		Uniclic Locking - Glueless Floating	Uniclic Locking - Glueless Floating	Uniclic Locking - Glueless Floating	Uniclic Locking - Glueless Floating	Uniclic Locking - Glueless Floating
Usage Class	EN 10874 (of EN 16511)	23/32	23/34	23/34	23/34	23/34
Planks Size (L*W)		1218mm*181mm	1218mm*228mm	1800mm*228mm	592mm*148mm	1218mm*228mm
Pallet Size (W*L*H)		1000*1250*760mm	1000*1250*760mm	1000*1830*680mm	1000*1250*750mm	1000*1250*760mm
Planks/package (sqm/package)		10 (2.20 sqm)	8 (2.22 sqm)	5 (2.05 sqm)	16 (1.40 sqm)	6 (1.66 sqm)
Weight/package		16.91kg	19.38kg	20kg	16.50kg	22.44kg
Package/pallet		55	48	60	60	48
sqm/pallet		121	107	123	84	80
sqm/container		2904	2568	2091	1764	1600
Pallet/container		24	24	17	21	20
Package/container		1320	1152	1020	1260	960
Total weight/pallet		950kg	960kg	1200kg	1040kg	1077kg
Reaction to Fire (CE)	EN 13501-1	Bfl-S1	Bfl-S1	Bfl-S1	Bfl-S1	Bfl-S1
Thermal Conductivity	EN 12667	0.087 W/(m·K)	0.110 W/(m·K)	0.107 W/(m·K)	0.131 W/(m·K)	0.143 W/(m·K)
Thermal Resistance	EN 12667	0.030 (m²·K)/W	0.030 (m²·K)/W	0.030 (m²·K)/W	0.030 (m²·K)/W	0.030 (m²·K)/W
Curling after Exposure to Heat	EN ISO 23999	No curling	≤ 0.5 mm	≤ 0.5 mm	≤ 0.5 mm	≤ 1.0 mm
Underfloor Heating suitability		Suitable, max 27°C	Suitable, max 27°C	Suitable, max 27°C	Suitable, max 27°C	Suitable, max 27°C



„Produced & stored exclusively for Europe“



Characteristics	Standards	Wolf	Grizzly	Tiger	Lion	Crocodile
Static Electrical Propensity (CE)	EN 14041	0.5kV, Pass	0.5kV, Pass	0.5kV, Pass	0.5kV, Pass	0.5kV, Pass
Slip Resistance (CE)	EN 13893	DS	DS	DS	DS	DS
Slip Resistance (Ramp Test)	DIN 51130	R9	R9	R9	R9	R9
Abrasion Resistance	EN 15468, Annex A	> 7300 revolutions (≥ 7000 for Class 34)	> 7300 revolutions (≥ 7000 for Class 34)	> 7300 revolutions (≥ 7000 for Class 34)	> 7300 revolutions (≥ 7000 for Class 34)	> 7300 revolutions (≥ 7000 for Class 34)
Locking Strength	ISO 24334	Long edge: 4.5 kN/m, short edge: 5.5 kN/m	Long edge: 4.5 kN/m, short edge: 5.5 kN/m	Long edge: 4.5 kN/m, short edge: 5.5 kN/m	Long edge: 4.5 kN/m, short edge: 5.5 kN/m	Long edge: 4.5 kN/m, short edge: 5.5 kN/m
Castor Chair Resistance	ISO 4918	Pass (Type W, > 25000cycles)	Pass (Type W, > 25000cycles)	Pass (Type W, > 25000cycles)	Pass (Type W, > 25000cycles)	Pass (Type W, > 25000cycles)
Effect of Furniture Leg	EN ISO 16581	Pass	Pass	Pass	Pass	Pass
Microscratch Resistance	DIN EN 16094	MSR-A3	MSR-A2	MSR-A2	MSR-A2	MSR-A2
Residual Indentation	EN ISO 24343-1	0.03mm	0.04mm	0.04mm	0.04mm	0.04mm
Dimensional Stability	EN ISO 23999	≤ 0.05%	≤ 0.05%	≤ 0.05%	≤ 0.05%	≤ 0.05%
Impact Sound Improvement	EN ISO 717-2	ΔLw = 21 dB	ΔLw = 20 dB	ΔLw = 20 dB	ΔLw = 20 dB	ΔLw = 20 dB
Resistance to Stain	EN 438-2	Group 1: Grade 5 Group 2: Grade 4 Group 3: Grade 4/5/5	Group 1: Grade 4 Group 2: Grade 5 Group 3: Grade 4/5/5	Group 1: Grade 4 Group 2: Grade 5 Group 3: Grade 4/5/5	Group 1: Grade 4 Group 2: Grade 5 Group 3: Grade 4/5/5	Group 1: Grade 4 Group 2: Grade 5 Group 3: Grade 4/5/5
Impact Resistance	EN 13329	> 1800mm	> 1800mm	> 1800mm	> 1800mm	> 1800mm
Formaldehyde / VOC Emissions	EN 717-1	E1 / VOC Free	E1 / VOC Free	E1 / VOC Free	E1 / VOC Free	E1 / VOC Free
Greenguard		Pass	Pass	Pass	Pass	Pass
Phthalate Free		Yes	Yes	Yes	Yes	Yes

Technical Features

Toxic Substances



DryBack

Premium Feelwood Stripes

Enhanced Texture Slabs

PureWPC Max

	Characteristics	Standards	Grizzly A / Crocodile
Floor Properties	Total Thickness	EN ISO 24346	2.5mm
	Wear Layer	EN ISO 24340	0.5mm
	Finish		UV COATING
	Surface		Registered Embossing (EIR)
	Installation Method		Gluedown
	Usage Class	EN 10874 (of EN ISO 10582)	23/33/41
Packaging Information	Planks Size (L*W)		1219*228mm
	Pallet Size (W*L*H)		1000*1250*720mm
	Planks/package (sqm/package)		16 (4.44sqm)
	Weight/package		21.66kg
	Package/pallet		52
	sqm/pallet		230.8
	sqm/container		4617
	Pallet/container		20
Behaviour to Heat	Package/container		1040
	Total weight/pallet		1146kg
	Reaction to Fire (CE)	EN 13501-1	Bfl-S1
	Underfloor Heating suitability		Suitable, max. 27°C
	Slip Resistance	EN 13893	DS
Toxic Substances	Residual Indentation	EN ISO 24343-1	≤ 1%
	Dimensional Stability	EN ISO 23999	≤ 0.15%
	Formaldehyde / VOC Emissions	EN 717-1	E1 / VOC Free
	Greenguard		Pass
	Phthalate Free		Yes

	Characteristics	Standards	Alligator
Floor Properties	Total Thickness	EN ISO 24346	8mm
	Acoustic Solution	EN ISO 24346	1mm Cork
	Wear Layer	EN ISO 24340	0.7mm
	Finish		Black Emerald Coating
	Surface		EIR+Deep Bevelled edge
	Installation Method		Uniclic Locking - Glueless Floating
Packaging Information	Usage Class	EN 10874 (of EN 16511)	23/34
	Planks Size (L*W)		1524mm*228mm
	Pallet Size (W*L*H)		980*1550*860mm
	Planks/package (sqm/package)		6 (2.08 sqm)
	Weight/package		17.24kg
	Package/pallet		68
	sqm/pallet		141
	sqm/container		1985
Behaviour to Heat	Pallet/container		14
	Package/container		952
	Total weight/pallet		1225kg
	Reaction to Fire (CE)	EN 13501-1	Bfl-S1
	Thermal Conductivity	EN 12667	0.107 W/(m·K)
	Thermal Resistance	EN 12667	0.073 (m ² ·K)/W
	Curling after Exposure to Heat	EN ISO 23999	≤ 0.5 mm
	Underfloor Heating suitability		Suitable, max 27°C

	Characteristics	Standards	Alligator
Technical Features	Slip Resistance (CE)	EN 13893	DS
	Slip Resistance (Ramp Test)	DIN 51130	R10
	Abrasion Resistance	ISO 24338	> 7700 cycles (≥ 7000 for Class 34)
	Locking Strength	ISO 24334	LS: 2.4 kN/m, SS: 3.6 kN/m
	Castor Chair Resistance	ISO 4918	Pass (Type W, > 25000cycles)
	Effect of Furniture Leg	EN ISO 16581	Pass
	Microscratch Resistance	DIN EN 16094	ΔR' = 1, MSR-B1
	Residual Indentation	EN ISO 24343-1	0.05mm
	Impact Sound Improvement	EN ISO 717-2	ΔLw = 20 dB
	Resistance to Stain	EN 438-2	Acetone: Grade 5 Coffee: Grade 5 NaOH: Grade 4 H ₂ O ₂ : Grade 5 Carbon Black Suspension: Grade 5
Toxic Substances	Formaldehyde / VOC Emissions	EN 717-1	E1 / VOC Free
	Content of Pentachlorophenol (PCP)	EN 14041, Annex B	Pass
	Greenguard		Pass
	Phthalate Free		Yes



„Produced & stored exclusively for Europe“



THE ICONIC COLLECTIONS



BY REPUBLIC®



"Simplicity is the ultimate satisfaction..."

- Welcome to Republic® Floor Germany GmbH -

... an integral part of the Republic® Group of companies, operating globally with a steadfast commitment to excellence. Republic® Floor was originally founded in 2014 in the USA by Eli Shuat and Rotem Eylor.

Since then Republic® had an incredible journey by opening 14 huge distributions centers in North America, Canada and Middle East. Today Republic® has branches and distribution centers around the world and is still growing... At Republic®, we uphold a tradition of delivering exceptional products, pioneering marketing strategies, and innovative distribution methods, all while staying true to our core values of loyalty, trust, sustainability, and future vision. Central to our operations is our revolutionary distribution network.

By establishing logistics hubs worldwide and maintaining control over our manufacturing processes, we guarantee a seamless flow of goods to our customers. With our efficient pipeline and strategically located warehouses, we ensure prompt delivery, eliminating lengthy waiting periods and providing unparalleled service. Yet, beyond products and distribution lies our cornerstone: marketing with values. In a world inundated with noise, clarity is paramount. We're proud to be recognized as one of the premier brands in the USA, and we're performing a similar impact in Europe.

Our focus isn't solely on the technical aspects of flooring solutions but on the ethos behind our brand. Republic® stands for more than just functional floors; we stand for integrity, reliability, and the assurance that our products are fit for our own families and friends. As we embark on our European marketing campaign, we remain steadfast in our commitment to our core values. Amidst changing landscapes and evolving markets, Republic® remains unwavering in its dedication to excellence. Our theme, "An Urban Jungle Adventure - Incredibly Insane...!" encapsulates the excitement and innovation that define our brand. Ultimately, our success hinges on more than just profits. It's about purpose, belief, and the shared values that resonate with our customers.

By prioritizing our 'why' – our cause, our belief – we foster trust, loyalty, and enduring relationships. At Republic®, every step we take, from design to production to customer service, is guided by our unwavering commitment to our core values. Join us on this journey as we redefine flooring solutions and set new standards of excellence. With Republic®, you're not just getting a product; you're becoming part of a legacy built on trust, innovation, and a vision for a better future - welcome to Republic® family!!!

Your Republic® Team Europe



„To me, marketing is about values...

In today's fast-paced and noisy world, capturing consumer attention is a daunting task. We must be crystal clear about what sets us apart. Our proven success in the USA positions us as one of the top brands, and we're on the brink of achieving similar recognition in Europe. However, sustaining our brand's relevance requires continuous investment in preserving our core values.

extends beyond profit, it's about making a meaningful impact and ensuring that our customers trust us implicitly. Additionally, beyond advertising, we must ensure that our customers are fully informed about us. Exciting product announcements are on the horizon, and significant developments are underway within the next six months.

Our mission in Europe wasn't just about promoting product features; it's about communicating our core values. Republic Floor stands for more than just providing flooring solutions, at its core, it embodies a commitment to delivering products we can wholeheartedly recommend to our loved ones. This ethos permeates every aspect of our organization, reflecting our unwavering dedication to quality and integrity.

In conclusion, our "why" – our purpose, cause, and beliefs – is what resonates with our customers, fostering trust, loyalty, and predictability. As we continue to innovate and expand, let's ensure that our core values remain at the forefront of everything we do.

As we launched our inaugural marketing campaign in Europe, our primary focus was and will be on emphasizing this core value. Despite the shifts in the flooring industry due to the pandemic, Republic's core values remain unchanged. Our first marketing campaign in Europe was articulate this enduring commitment. Our customers deserve clarity about who we are and what we represent. Therefore, our marketing efforts must communicate our unwavering commitment to excellence in every aspect of our operations.


So, what sets our company apart and draws customers to us is our "why" – our underlying purpose and beliefs. It's not just about presenting facts, figures, and data or showcasing why we're better than our competitors. At the end of the day, businesses and customers are made up of people. People are more inclined to buy from companies whose values align with their own. Building trust, fostering loyalty, and maintaining consistency are key elements in earning customer confidence. We strive to always deliver on our promises, ensuring that our actions are predictable in a positive manner...a trustful, honest and strong relationship is always the key. Some would like it or not, our campaign shows who we are and how we act - always reflecting our core values.

In essence, Republic Floor is synonymous with uncompromising quality, integrity, and a steadfast commitment to our core values. Our purpose

You can quote us, disagree with us, glorify or vilify us, but the only thing you can't do is ignore us because we change things in our industry".

Martin Dettmer - Director of International Sales and Marketing

Clients world wide





REPUBLIC®

EST. 2022 BY REPUBLIC® FLOOR



OUR
REPUBLIC® FAMILY



Bernhard Grünaug
Executive Senior Vice President / Geschäftsführer
Phone: +49 (0)151 14831002
E mail: b.gruenaug@republicflooreu.com

Martin Dettmer
Director of International Sales and Marketing
Phone: +49 (0)162 6081467
E mail: m.dettmer@republicflooreu.com

Christian Schmidt
Sales Manager national/international
Phone: +49 (0)152 27580624
E mail: c.schmidt@republicflooreu.com

Tracey Kellas
Foreign Commerce & Logistics
Phone: +49 (0)2921 6600672
E mail: tracey.kellas@republicflooreu.com

Jochen Schopmeyer
Salesmanager Germany
Phone: +490152-27594308
E mail: j.schopmeyer@republicflooreu.com

Heansuh Lee
Product Development
Phone: +49 (0)2921 6600673
E mail: heansuh.lee@republicflooreu.com

James Roberts
Warehouse Supervisor
Phone: +491794161042
E mail: j.roberts@republicflooreu.com

Michael Lutterbüse
Warehouse Logistic Specialist
Phone: +49 1781541795
E mail: j.roberts@republicflooreu.com

Republic Floor GmbH

European Headquarters: Lisa-Meitner-Str. 1
82152 Krailling, München, Germany
Distribution Hub: Ferdinand-Gabriel-Weg 4-8
59494, Soest, Germany



European Headquarters: Lisa-Meitner-Str. 1
82152 Krailling, München, Germany
Distribution Hub: Ferdinand-Gabriel-Weg 4-8
59494, Soest, Germany