

## Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** : Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial  
**Registration number REACH** : Not applicable (article)  
**Product type REACH** : Article

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1 Relevant identified uses

Vinyl flooring

##### 1.2.2 Uses advised against

No uses advised against

#### 1.3. Details of the supplier of the Product Safety Information Sheet:

##### Supplier of the Product Safety Information Sheet

UNILIN Group  
Ooigemstraat 3  
B-8710 Wielsbeke-Ooigem  
☎ +32 56 67 52 11  
Technical.services@unilin.com

all brands produced and distributed by Unilin Group

#### 1.4. Emergency telephone number

During business hours, 9:00-16:00 (CET) :  
+32 56 67 52 11

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

#### 2.2. Label elements

Labelling does not apply to articles

#### 2.3. Other hazards

During processing dust may be released for which exposure limits are set out in the community

### SECTION 3: Composition/information on ingredients

This article does not contain any notifiable substances

This article does not contain a substance of very high concern (SVHC) in accordance with Article 59(1) of Regulation (EC) No 1907/2006 at a concentration above 0,1 % (w/w)

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General:

If you feel unwell, consult a doctor/medical service.

##### After inhalation:

Not applicable. Measures apply only in case of excessive dust production when processing the material. Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

##### After skin contact:

Not applicable.

##### After eye contact:

Not applicable. Measures apply only in case of excessive dust production when processing the material. Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

##### After ingestion:

Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

##### 4.2.1 Acute symptoms

**After inhalation:**

# Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

No effects known.

**After skin contact:**

No effects known.

**After eye contact:**

No effects known.

**After ingestion:**

No effects known.

#### 4.2.2 Delayed symptoms

No effects known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### 5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Class A foam extinguisher, Water (quick-acting extinguisher, reel).

Major fire: Water, Class A foam.

#### 5.1.2 Unsuitable extinguishing media:

Small fire: Quick-acting BC powder extinguisher, Quick-acting CO2 extinguisher.

### 5.2. Special hazards arising from the substance or mixture

On burning: release of toxic and corrosive gases/vapours (hydrogen chloride, carbon monoxide - carbon dioxide).

### 5.3. Advice for firefighters

#### 5.3.1 Instructions:

Dilute toxic gases with water spray. Take account of toxic/corrosive precipitation water.

#### 5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No naked flames.

#### 6.1.1 Protective equipment for non-emergency personnel

See section 8.2

#### 6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

### 6.2. Environmental precautions

No data available

### 6.3. Methods and material for containment and cleaning up

Pick-up the material.

### 6.4. Reference to other sections

See section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid raising dust. Keep away from naked flames/heat. Observe normal hygiene standards.

### 7.2. Conditions for safe storage, including any incompatibilities

#### 7.2.1 Safe storage requirements:

Store in a dry area. Meet the legal requirements.

#### 7.2.2 Keep away from:

Heat sources.

#### 7.2.3 Suitable packaging material:

No data available

#### 7.2.4 Non suitable packaging material:

No data available

### 7.3. Specific end use(s)

Not applicable

Publication date: 2022-09-28

# Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 Occupational exposure

##### a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

##### Belgium

Chlorure de polyvinyle (fraction alvéolaire)	Time-weighted average exposure limit 8 h	1 mg/m <sup>3</sup>
Verres (fibres ou poussières de)	Time-weighted average exposure limit 8 h	10 mg/m <sup>3</sup>

##### France

Fibres de verre	Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative)	1 fibers/cm <sup>3</sup>
-----------------	--	--------------------------

##### Austria

Polyvinylchlorid (Alveolarstaub)	Tagesmittelwert (MAK)	5 mg/m <sup>3</sup>
	Kurzzeitwert 60(Miw) 2x (MAK)	10 mg/m <sup>3</sup>

##### UK

MMMF (Machine-made mineral fibre) (except for refraction ceramic fibres and special purpose fibres)	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	2 ppm
	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	5 mg/m <sup>3</sup>
Polyvinyl chloride inhalable dust	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	10 mg/m <sup>3</sup>
Polyvinyl chloride respirable dust	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	4 mg/m <sup>3</sup>

##### USA (TLV-ACGIH)

Polyvinyl chloride	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	1 mg/m <sup>3</sup> (R)
Synthetic vitreous fibers: Continuous filam glass fibers	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	1 fibers/cm <sup>3</sup> (F)
Synthetic vitreous fibers: Glass wool fibers	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	1 fibers/cm <sup>3</sup> (F)

(R): Respirable fraction

(F): Respirable fibers: length > 5 µm; aspect ratio ≥ 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination

##### b) National biological limit values

If limit values are applicable and available these will be listed below.

#### 8.1.2 Sampling methods

If applicable and available it will be listed below.

#### 8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

#### 8.1.4 Threshold values

If applicable and available it will be listed below.

#### 8.1.5 Control banding

If applicable and available it will be listed below.

### 8.2. Exposure controls

#### 8.2.1 Appropriate engineering controls

Avoid raising dust. Keep away from naked flames/heat. Measure the concentration in the air regularly. Work under local exhaust/ventilation.

#### 8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

##### a) Respiratory protection:

Dust production: dust mask with filter type P1.

##### b) Hand protection:

Not required for normal conditions of use.

##### c) Eye protection:

Not required for normal conditions of use.

##### d) Skin protection:

Not required for normal conditions of use.

#### 8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical form	Flexible solid material
Odour	Almost odourless
Odour threshold	No data available in the literature
Colour	Variable in colour, depending on the composition

Publication date: 2022-09-28

# Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

Particle size	No data available in the literature
Explosion limits	No data available in the literature
Flammability	Not classified as flammable
Log Kow	Not applicable (article)
Dynamic viscosity	Not applicable (solid)
Kinematic viscosity	Not applicable (solid)
Melting point	No data available in the literature
Boiling point	No data available in the literature
Relative vapour density	Not applicable (solid)
Vapour pressure	No data available in the literature
Solubility	Water : insoluble
Relative density	1.7 - 2.0
Absolute density	1700 kg/m <sup>3</sup> - 2000 kg/m <sup>3</sup>
Decomposition temperature	No data available in the literature
Auto-ignition temperature	No data available in the literature
Flash point	Not applicable (solid)
pH	No data available in the literature

## 9.2. Other information

Softening point	80 °C
Evaporation rate	Not applicable (solid)

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

#### Precautionary measures

Avoid raising dust. Keep away from naked flames/heat.

### 10.5. Incompatible materials

No data available.

### 10.6. Hazardous decomposition products

On burning: release of toxic and corrosive gases/vapours (hydrogen chloride, carbon monoxide - carbon dioxide).

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### 11.1.1 Test results

##### Acute toxicity

Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

No (test)data available

##### Corrosion/irritation

Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

No (test)data available

##### Respiratory or skin sensitisation

Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

No (test)data available

##### Specific target organ toxicity

Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

No (test)data available

##### Mutagenicity (in vitro)

Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

No (test)data available

##### Mutagenicity (in vivo)

Publication date: 2022-09-28

# Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

No (test)data available

## Carcinogenicity

Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

No (test)data available

## Reproductive toxicity

Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

No (test)data available

## Toxicity other effects

Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

No (test)data available

## 11.2. Information on other hazards

No evidence of endocrine disrupting properties

## SECTION 12: Ecological information

### 12.1. Toxicity

Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

No (test)data available

### 12.2. Persistence and degradability

#### Water

Biodegradability in water: no data available

### 12.3. Bioaccumulative potential

Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

#### Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (article)			

#### Conclusion

No bioaccumulation data available

### 12.4. Mobility in soil

No (test)data on mobility of the component(s) available

### 12.5. Results of PBT and vPvB assessment

Due to insufficient data no statement can be made whether the component(s) fulfil(s) the criteria of PBT and vPvB according to Annex XIII of Regulation (EC) No 1907/2006.

### 12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

### 12.7. Other adverse effects

Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

#### Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

#### Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### 13.1.1 Provisions relating to waste

##### European Union

Can be considered as non hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997. The waste code must be assigned by the user, preferably in consultation with the (environmental) authorities concerned.

#### 13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

#### 13.1.3 Packaging/Container

No data available

Publication date: 2022-09-28

# Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

## SECTION 14: Transport information

### Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.1. UN number	Transport	Not subject
14.2. UN proper shipping name		
14.3. Transport hazard class(es)		
	Hazard identification number	
	Class	
	Classification code	
14.4. Packing group		
	Packing group	
	Labels	
14.5. Environmental hazards		
	Environmentally hazardous substance mark	no
14.6. Special precautions for user		
	Special provisions	
	Limited quantities	
14.7. Maritime transport in bulk according to IMO instruments		
	Annex II of MARPOL 73/78	Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
	No data available in the literature

#### National legislation Belgium

No data available

#### National legislation The Netherlands

Waterbezwaarlijkheid	Not applicable (article)
----------------------	--------------------------

#### National legislation France

Catégorie cancérigène	Fibres de verre; (2); Certains ou tous ces composés sont classés C1A, C1B ou C2.
-----------------------	--

#### National legislation Germany

WGK	Not applicable (article)
-----	--------------------------

#### National legislation Austria

No data available

#### National legislation United Kingdom

No data available

#### Other relevant data

TLV - Carcinogen	Synthetic vitreous fibers: Continuous filam glass fibers; A4
	Synthetic vitreous fibers: Glass wool fibers; A3
	Polyvinyl chloride; A4

### 15.2. Chemical safety assessment

No chemical safety assessment is required.

## SECTION 16: Other information

(*)	INTERNAL CLASSIFICATION BY BIG
ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
ATE	Acute Toxicity Estimate
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC50	Effect Concentration 50 %
ErC50	EC50 in terms of reduction of growth rate
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
NOAEC/NOAEL	No Observed Adverse Effect Concentration/No Observed Adverse Effect Level
NOEC/NOEL	No Observed Effect Concentration/No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration

Publication date: 2022-09-28

## Vinyl: Unilin, Quick-Step, Pergo, IVC Commercial

STP  
vPvB

Sludge Treatment Process  
very Persistent & very Bioaccumulative

The information in this Product Safety Information Sheet informs on the properties of certain substances, preparations or mixtures incorporated in the article. The Product Safety Information Sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this Product Safety Information Sheet does not release the user from the obligation to take all measures dictated by common sense, regulations, the guidelines of the manufacturer and recommendations or which are necessary and/or useful based on the real applicable circumstances. The Product Safety Information Sheet constitutes merely of guidelines and recommendations. The information in this Product Safety Information Sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. New Product Safety Information Sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the Product Safety Information Sheet, the information does not apply to other, even similar products. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This Product Safety Information Sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this Product Safety Information Sheet is subject to the licence and liability limiting conditions as stated in the agreement between BIG and the manufacturer of this product or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Publication date: 2022-09-28